

# LA-UR-22-26341

Approved for public release; distribution is unlimited.

**Title:** Small Fission Reactors for Space and Terrestrial Applications

**Author(s):** Maldonado, Alexis  
Blood, Mikaela E

**Intended for:** Presentation for Keepin Nonproliferation Summer Program

**Issued:** 2022-07-01



Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

# Small Fission Reactors for Space and Terrestrial Applications

Alexis Maldonado  
Mikaela e Blood



July 2022

LA-UR-XX-XXXX

# Outline

- History and overview of LANL capabilities
- Overview of microreactor program
- Space reactors
- Terrestrial reactors
- Critical experiments
- Computational modeling

KiloPower prototype tested at the National Criticality Experiments Research Center (NCERC) in collaboration with NASA [1]



**Successful Tests** – validated predictive computational models & simulations, served as a proof-of-concept

# Heritage Space Reactors



- 1965 USA
  - **SNAP 10A**
    - High-enriched uranium (HEU) moderated system
    - 1 flown – first nuclear reactor in orbit
    - Suffered moderator hydrogen loss
- 1967 – late 1980s Soviet Union
  - **BUK**
    - HEU fast system
    - 31 flown
    - 1 crashed over Canada
  - **TOPAZ**
    - HEU moderated system
    - 2 flown
    - Design addressed hydrogen loss
    - USA purchased and tested 6 units without fuel



Systems for Nuclear Auxiliary Power  
(SNAP 10A) [2]


# Science-based Design & Testing

- National Nuclear Security Administration (NNSA) resources [3]
  - Nuclear experiment testing at NCERC
  - Collaboration with multidisciplinary experts
  - High-Performance Computing






## High-fidelity methods




## Reduced-order methods



## Experimental reactor operation

### DUFF



NASA  
NNSA  
NNSS  
NSTec  
LDRD

- Attached heatpipe w/ Stirling engine to existing critical experiment (Flattop)
- Operated at 24 watts
- Demonstrated heatpipe and Stirling engine fission heat removal

- Brand-new reactor experiment
- Monolith U-Mo core, heatpipes, and Stirling engines
- Steady-state and transient testing

### KRUSTY



NASA  
NNSA  
NNSS  
Y-12


## R&D areas:

- Reactor concept development
- Predictive performance
- Nuclear criticality testing
- Component advancement
- Safety and security



# Microreactors




- Advanced reactor concept, compact, less than 20 MW<sub>th</sub>
- Smaller size means easier to ship to remote regions
  - Arctic environments, military operations, oil exploration, disaster relief
- Reactor core and heat transfer mechanisms fully contained
  - Does not require environment to aid in cooling fuel, such as large bodies of water



Microreactor shipping options [4]

# Conceptual Microreactor Design, Snowflake


- Solid graphite block with holes for fuel, heat pipes, and moderator [5]
- Can be built to specific size depending on power needs



Reflector  
Shutdown rod  
Control drum

# Heat Pipes – LANL technology

- Primary heat transfer mechanism
- Capillary design utilizes wick to separate two-phase fluids
- Working fluid dependent on reactor temperature
  - Sodium is chosen for Snowflake
  - Fully-contained in rod
  - No pumps, works in any orientation
- Hundreds of heat pipes in a microreactor



# KRUSTY Design

Titanium/Water Heat Pipe Radiator

Stirling Power Conversion System

Sodium Heat Pipes

Lithium Hydride/Tungsten Shielding

Beryllium Oxide Neutron Reflector

Uranium Moly Cast Metal Fuel





B<sub>4</sub>C Neutron Absorber Rod

## 7 COMPONENTS

- Core
- Neutron reflector
- Heat pipes
- Radiation shielding
- Start-stop rod
- Stirling engine convertors
- Radiator to remove excess heat



# Kilopower Reactor Using Stirling Technology (KRUSTY)



# Artemis Program

## Fission Surface Power on the Moon 2027


- Collaboration with NASA
- Nuclear fission reactor, will provide 40 kWe for a base [7]
- LANL assisting with reactor design development and materials technology maturation





# Terrestrial Microreactors

- Commercial partner: Westinghouse Electric Company [8]
- LANL assisting with overall reactor and component design, as well as nuclear experiment design, planning, and execution










# Why conduct a nuclear experiment?

- Nuclear experiments are necessary for validating predictive physics codes and data
- Serve as a precursor to a full-scale prototype
- Limitations:
  - Small volume to work with – need sufficient reactivity in small space
  - The size, configuration, and materials of the experiment will affect the similarity between the two systems
  - Facility limitations on excess reactivity, activation, safety, etc.


# Hypatia – Metal Hydride Moderator Advancement

- Hypatia is a critical experiment conducted at NCERC in Jan 2021 [9]
- A measurement campaign for Yttrium Hydride (YH) – a high-temperature moderator material for advanced systems [9]
- Purpose: Validate temperature dependent reactivity feedback for YH
- Planning additional material maturation nuclear experiments to support small reactor designs





## Stack Components





Z ODB: full\_k031644511508.202.odb Abaqus/Standard 3DEXPERIENCE R2019x Wed Mar 24 13:09:06 Mountain Daylight Time 2021



Step: Step-2  
 Increment 0: Step Time = 0.000  
 Primary Var: NT11  
 Deformed Var: U Deformation Scale Factor: +1.016e+00





# Multiphysics Modeling & Simulation

- Small nuclear systems are particularly tightly-coupled systems – each physics of the system talks to each other
- This requires multiphysics M&S



# M&S Capabilities

- Novel reactor concept development
- High fidelity modeling of full and partial 3-D reactor cores
- Heat pipe modeling (characterization and failure modes)
- Modification to MCNP for unstructured mesh geometry
- Reactor behavior
- Comparison of different code suites
- Validation (nuclear experiments)



# Summary

- History and overview of LANL capabilities
- Overview of microreactor program
- Space reactors
- Terrestrial reactors
- Critical experiments
- Computational modeling

# References

1. NASA (2018), "Demonstration Proves Nuclear Fission System Can Provide Space Exploration Power," Retrieved from <https://www.nasa.gov/press-release/demonstration-proves-nuclear-fission-system-can-provide-space-exploration-power>
2. U.S. DOE, "SNAP Overview," [https://www.etec.energy.gov/Operations/Major\\_Operations/SNAP\\_Overview.php](https://www.etec.energy.gov/Operations/Major_Operations/SNAP_Overview.php)
3. Nevada National Security Site (2021), "National Criticality Experiments Research Center," Retrieved from <https://www.nnss.gov/pages/facilities/NCERC.html>
4. "Nuclear Microreactors." U.S. Government Accountability Office. Retrieved from <https://www.gao.gov/products/gao-20-380sp>
5. Trellue, H. R., Rao, D. V., Wilkerson, R. B., Kim, J., Luther, E. and Fallgren, A. (2020) "Simulation of Microreactor Design With Graphite Core Block, TRISO fuel, Heat Pipes, and Yttrium Hydride Moderator", *U.S. Provisional Patent Application 1620.0121P*, DOE Reference S-133,840.000." Los Alamos National Laboratory. LA-CP-20-20306.
6. Shukla (2014), "Heat Pipe for Aerospace Applications—An Overview," *Journal of Electronics Cooling and Thermal Control*
7. NASA, "Fission Surface Power," Retrieved from [https://www.nasa.gov/mission\\_pages/tdm/fission-surface-power/index.html](https://www.nasa.gov/mission_pages/tdm/fission-surface-power/index.html)
8. Nuclear Newswire, "Study finds major roles for Westinghouse microreactor in Canada," Retrieved from <https://www.ans.org/news/article-3395/study-finds-major-roles-for-westinghouse-microreactor-in-canada/>
9. Blood (2022), "The Hypatia Experiment Thermal Simulation," *Nuclear Emerging Technologies for Space Conference*, LA-UR-22-24165



# High temperature 28 hour run, with transients

KRUSTY Full-Run Fuel Temperatures and Fission Power

